

Page 1/6

Version: 6

Alumina Zirconia

Revision date: 05/03/2018

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Commercial name Description

AZ, Zirconia Alundum, ZF®, ZS®, Stoneblast®, MCA1360®, AZ-25®, ZirGrit Alumina Zirconia

Other than the identified uses indicated above.

1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses of the substance: Abrasive material used in surface preparation and the manufacturing of bonded abrasive products.

Not recommended uses of the substance

1.3. Details of the supplier of the safety data sheet **Company Identification: Saint-Gobain Ceramic Materials** 1 New Bond Street, Mail Stop 525-203, Worcester, MA 01615-0137, United States 1-800-243-0028 (Customer Service) Technical Information: E-mail: cermatworcester@saint-gobain.com

1.4. Emergency telephone number Emergency tel. 800-424-9300 CHEMTREC

Section 2: Hazards identification

2.1. Classification of the substance or mixture CLP regulation EC 1272/2008 Not classified. OSHA GHS (US) Not classified

2.2. Label elements Not required under Regulation EC 1272/2008 and OSHA GHS (US).

2.3. OTHER HAZARDS	
Adverse effects on health	Possible irritation through abrasive friction.
Environmental effects	Does not present any particular risk for the environment
Physical and chemical hazards	Fire or explosion: does not present any particular hazard
NFPA Hazard Rating:	Reactivity: 0 Flammability: 0 Health: 0

WHMIS

Not hazardous

Section 3: Composition/information on ingredients

3.1. Substances

CAS NR	EINECS NR	Components	Weight %	REACH registration NR
1344-28-1	215-691-6	Aluminium oxide (Al2O3)	70-80	01-2119529248-35-XXXX
1314-23-4	215-227-2	Zirconium dioxide (ZrO2)	20-30	01-2119486976-14-XXXX
12055-23-1		Hafnium oxide	0-1	-

This product contains trace quantities of naturally occurring radioactive material (NORM). The low level of radioactivity in grains is attributed to the naturally occurring raw material zircon sand that has trace quantities of naturally occurring



Page 2/6

Version: 6

Alumina Zirconia

Revision date: 05/03/2018

radioactive uranium and thorium. The Uranium and Thorium level in the sand used for producing grains is below 500 parts per million (ppm), which is the threshold level established by the United States Nuclear Regulatory Commission for exempt quantities of source material.

Section 4: First aid measures

4.1. Description of first aid measures	
Eve contact	Rinse immediately and thoroughly, pulling the eyelids well away from the eye. If irritation persists, consult an eye specialist.
Ingestion	Consult a doctor in the event of symptoms following massive accidental ingestion.
Skin contact	Wash with soap and water.
Inhalation	Move the affected person away from the contaminated area and into the fresh air. Consult a doctor in the event of massive accidental inhalation.

4.2. Most important symptoms and effects, both acute and delayed No data

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

Section 5: Fire fighting measures

5.1. Extinguishing media Suitable extinguishing media All extinguishing agents can be used.

5.2. Special hazards arising from the substance or mixture This product is not combustible or explosive. Does not present any particular risk in the event of fire.

5.3. Advice for firefighters Specific fire fighting methods Protection of fire-fighters

Does not require any particular methods Use appropriate protective equipment.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Personal precautions Avoid contact with the eyes.

6.2. Environmental precautions Do not discharge into drains and rivers.

6.3. Methods and material for contair	ment and cleaning up
- Recovery	Sweep up or vacuum up the product.
Other information	Wear eye protectors and dust mask.

6.4. Reference to other sections

See section 8 for personal protective equipment. See section 13 for disposal considerations.



Page 3/6

Version: 6

Alumina Zirconia

Revision date: 05/03/2018

Section 7: Handling and storage

7.1. Precautions for safe handling	
Technical measures	Ensure areas are well ventilated.
Precautions to be taken	For operations generating dust: Wear N95, FFP2 or FFP3 dust mask. Wear safety goggles.
7.2. Conditions for safe storage, include	ding any incompatibilities
Technical measures	Store in closed container in covered area.
Storage conditions	
- Recommended	Dense material: Observe safety rules when stacking.
7.3. Specific end use(s)	
See section 1.1	

Section 8: Exposure control / personal protection

8.1.	Control	parameters
Eng	ineering	measures

Ensure good ventilation of the work station.

Occupational exposure limit values 1.1.1. л i г

and/or biologica	al limit values			
Components	N° CAS	N° EINECS	TLV (USA)	Remarks
Zirconium	1214 22 4	215 227 2	10 mg/m³ as Zr	Short term value, ACGIH
dioxide	1314-23-4	210-227-2	5 mg/m³ as Zr	Long term value, ACGIH
Aluminium oxide	1344-28-1	215-691-6	1 mg/m³ as Al	Long term value for respirable fraction, ACGIH

8.2. Exposure control

Personal protective equipment	Respiratory protection: in the event of insufficient ventilation respiratory protective device with a particulate filter. Hand protection: wear safety gloves. Eye protection: wear safety goggles. Skin and body protection: safety shoes.
Hygiene measures	Do not drink, eat or smoke during use.

Section 9: Physical and chemical properties

	9.1.	Information	on basic	; ph	ysical	and	chemical	pro	perties
--	------	-------------	----------	------	--------	-----	----------	-----	---------

Physical State	grains
Color	steel gray to blue gray
<u>Odor</u>	Odorless
Specific temperatures	 Melting point: 1900°C
Flammability characteristics	Flash point: not applicable
Specific gravity	4.2-4.3
Solubility	Insoluble

9.2. Other information None

Section 10: Stability and reactivity



Page 4/6

Version: 6

Alumina Zirconia

Revision date: 05/03/2018

10.1. Reactivity Not reactivity under normal conditions of use.

10.2. Chemical stability Stable under normal conditions of use and below 1300°C/

10.3. Possibility of hazardous reactions No data available

10.4. Conditions to avoid No dangerous reactions known under normal conditions of use.

10.5. Incompatible materials Materials to avoid

Reacts with strong acids and bases

10.6. Hazardous decomposition products No data available

Section 11: Toxicological information

<u>cts</u>
LD50 > 5000 mg/kg (rat), <i>OECD 401</i> . ZrO ₂ LD50 > 2000 mg/kg bw (rat). <i>OECD 420</i> . Al ₂ O ₃
LC50 > 4.3 mg/l, OECD 436.ZrO ₂ LC50 > 2.3 mg/l. OECD 403.Al ₂ O ₃
The test substance was determined to not be irritating to the skin of rabbits, $OECD \ 404$. ZrO ₂ The test substance was determined to not be irritating to the skin of rabbits, $OECD \ 404$. Al ₂ O ₃
The test agent was determined to be slightly irritating based on the AFNOR criteria. It does however not need to be classified for eye irritation according to the rules in the DSD and CLP, OECD 405. ZrO_2 The substance was determined to not be eye irritant. <i>OECD</i> 405. Al ₂ O ₃
The substance does not have skin sensitizing potential under the conditions of this test, <i>OECD 406</i> . ZrO ₂ The substance does not have skin sensitizing potential under the conditions of this test. <i>Landsteiner / Draize method</i> . Al ₂ O ₃
Absence of cumulative toxic effects, OECD 408. ZrO ₂
Inhalation of 100.8 mg/m ³ zirconium dioxide for 30 days produced no significant changes in animals in mortality rate, growth, hematologic values or histopathology. The NOAEC was deemed to be greater than 100.8 mg/m ³ , OECD 412. ZrO ₂ Inhalation of 15.4 mg/m ³ zirconium dioxide for 60 days produced no significant changes in animals in mortality rate, growth, biochemistry, hematologic values or histopathology. The NOAEC was deemed to be greater than 15.4 mg/m ³ , OECD 413. ZrO ₂ NOAEC= 70 mg/m ³ . <i>OECD 413</i> . Al ₂ O ₃



Page 5/6

Version: 6

Alumina Zirconia

Revision date: 05/03/2018

Epidemiological data	No excess of respiratory symptoms and no radiologic evidence of pneumoconiosis occurred among the exposed men. ZrO ₂
Exposure related observations in humans	No evidence was found of pulmonary granulomas or of correlation between cumulative exposure to dust and ILO classification of radiographs. ZrO ₂
<u>Genetic toxicity in vitro</u>	Zirconium dioxide is considered as "not mutagenic under the conditions of the test", OECD 471. ZrO ₂ Zirconium dioxide is not clastogenic in human lymphocytes under the experimental conditions of this test, OECD 473. ZrO ₂ Zirconium dioxide is not mutagenic in the TK mutation test system under the specified experimental conditions, OECD 476. ZrO ₂
	No effects (The authors briefly mention that no mortality nor toxic symptoms were observed at any dose level in the range-finding study (OECD TG #420) nor in the 5 rats at the highest dose level in the main study that was reported in the article. Al ₂ O ₃

Section 12: Ecological information

12.1. Toxicity

Short-term toxicity to fish	Using a limit test at 100 mg/l, no acute toxic effect on the fish Danio rerio. ZrO_2 NOEC (96 h): > 0.072 mg/L. <i>OECD 203 (Salmo trutta)</i> . Al ₂ O ₃ LC50 (96 h): > 218.64 mg/L total Al, not filtered. <i>Pimephales promelas</i> . Al ₂ O ₃
Short-term toxicity to aquatic invertebrates	No acute effect on Daphnia magna at an initial loading rate of 100 mg/l. ZrO ₂ NOEC (48 h) > 0.071 mg/L dissolved. <i>Daphnia Magna. OECD 202.</i> Al ₂ O ₃
Toxicity to aquatic algae and cyanobacteria	The test item had a statistically significant inhibitory effect on the growth of Scenedesmus subspicatus (test period of 72 hours at the highest loading rate of 100 mg/l) ZrO_2
Toxicity to terrestrial plants	Not any adverse effects were observed (study realized with tomato and pea seedlings, exposed for 7 days to two different soils contaminated with either a soluble Zirconium compound (ZrOCl2 or Zr acetate) or an insoluble Zirconium compound (Zr(OH)4). ZrO ₂

- 12.2. Persistence and degradability . No data available
- 12.3. Bioaccumulative potential . No data available
- 12.4. Mobility in soil. No data available

12.5. Results of PBT and vPvB assessment . Not relevant because the substances are not classified.

12.6. Other adverse effects. No data available

Section 13: Disposal considerations

<u>13.1. Waste treatment methods</u>	
Waste from product	
Destruction/disposal	Dispose of in accordance with relevant local regulations.



Safety Data Sheet

In compliance with n°1907/2006/EC and US GHS

Page 6/6

Version: 6

Alumina Zirconia

Revision date: 05/03/2018

Contaminated packaging Destruction/disposal

Dispose of at an authorised site.

Section 14: Transport information

International regulations RID/ADR/IMDG/IATA Not restricted.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

According to Regulation (EC) No. 1272/2008 (CLP) this product is not considered hazardous. This product is not considered hazardous under the U.S. OSHA 29 CFR 1910.1200 Hazard Communication Standard. All ingredients are listed on TSCA (Toxic Substance Control Act). None of the substances are listed in Proposition 65 (California).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out because the substances are not hazardous.

Section 16: Other information

Restrictions of useThis product must not be used for applications other than those indicated
in section 1.Replace sheet03/03/2016

Information concerning the modifications: -addition of a new reference of product in section 1

This sheet completes the technical sheets but it does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith.

The attention of the user is drawn to the risks possibly incurred by using the product for any other purpose than that for which it was intended.

This does not in any way excuse the user from knowing and applying all the regulations governing his activity.

It is the sole responsibility of the user to take all precautions required in handling the product.

The mandatory regulations mentioned are only intended to help the user to fulfil his obligations regarding the use of hazardous products.

This listing must not be considered exhaustive. It does not exonerate the user from ensuring that other legal obligations than those mentioned do not exist, relating to the use and storage of the product for which he solely is responsible.